

AMENDMENTS TO THE CLAIMS:

Sub D

Claim 1. (Currently amended) A magnetic disk apparatus comprising:

~~a disk enclosure enclosures;~~

~~a first printed-circuit board boards which is are paired with said respective disk enclosure enclosures; and~~

~~a second printed-circuit board which is detachably connected to said first printed-circuit boards board via a cable and is separated in structure from said first printed-circuit board;~~

~~wherein each of said first printed-circuit board boards mounts circuits which have a first noise resistance property, and a circuit which holds parameters unique to said a corresponding disk enclosure;~~

~~wherein said second printed-circuit board mounts circuits which have a second noise resistance property which is superior to said first noise resistance property,~~

~~wherein said circuits on said second printed-circuit board include a switch for selecting either of one of said first printed-circuit board boards connected to said second printed-circuit board and another of said first printed-circuit board boards connected to said second printed-circuit board, and~~

~~wherein said second printed circuit board is separated from an upper system in structure and comprises an interface control circuit that interfaces with the upper system detachably connectable to an upper system.~~

Claim 2. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on each of said first printed-circuit board boards comprise include a recording/reproduction control circuit.

Subj
cont

Claim 3. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on each of said first printed-circuit board boards comprise include an analog/digital converter.

Claim 4. (Previously canceled)

Claim 5. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board comprise include a processor.

Claim 6. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board comprise include a spindle motor/voice coil motor control circuit.

Claim 7. (Currently amended) The magnetic disk apparatus of claim 1, wherein each of said first printed-circuit board boards further mounts an elastomer connector.

Claim 8. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board comprise include plural spindle motor/voice coil motor control circuits.

Claim 9. (Currently amended) The magnetic disk apparatus of claim 8, wherein said circuits on said second printed-circuit board further comprise include a single processor.

Subj X Cr

Claim 10. (Currently amended) The magnetic disk apparatus of claim 8, wherein said circuits on said second printed-circuit board further comprise include an interface circuit with an upper system.

Claim 11. (Previously canceled)

Claim 12. (Currently amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board are separated into a third printed circuit board and a fourth printed circuit board; wherein said third printed circuit board mounts an said interface control circuit; and wherein said fourth printed circuit board mounts said circuits other than said interface control circuit.

Claim 13. (Previously canceled)

Claim 14. (Previously amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board comprise a processor.

Claim 15. (Previously amended) The magnetic disk apparatus of claim 1, wherein said circuits on said second printed-circuit board comprise a spindle motor/voice coil motor control circuit.

Claim 16. (Currently amended) A magnetic disk apparatus comprising:

Subj 18

a disk enclosure;

a first printed-circuit board which is paired with said disk enclosure; and

a second printed-circuit board which is connected to said first printed circuit board via a cable and is separated in structure from said first printed-circuit board,

wherein said first printed-circuit board mounts circuits having a first noise resistance property, and a circuit which holds parameters unique to said disk enclosure,

wherein said second printed circuit board mounts circuits which have a second noise resistance property which is superior to said first noise resistance property,

wherein said second printed-circuit board is separated into a third printed circuit board and a fourth printed circuit board in structure, and wherein said third printed circuit board is ~~separated from the upper system in structure~~ detachably connectable to an upper system and mounts an interface control circuit that interfaces with the upper system, and

wherein said fourth printed circuit board is separated from the upper system in structure and mounts said circuits other than said interface control circuit.

C

Claim 17. (New) A magnetic disk apparatus comprising:

a disk enclosure;

a first printed-circuit board which is paired with said disk enclosure; and

a second printed-circuit board which is detachably connected to said first printed-circuit board via a cable,

wherein said first printed-circuit board mounts circuits which have a first noise resistance property, and a circuit which holds parameters unique to said disk enclosure,

Serial No. 09/502,454
Docket No. F-9680

6

Subj C Conn
wherein said second printed-circuit board mounts circuits which have a second noise
resistance property which is superior to said first noise resistance property, and
wherein said second printed circuit board is detachably connectable to an upper
system.